

J250P with Bayonet Cap

Maroon (case/cover)

Polypropylene

Flooded/wet lead-acid battery

inches (mm)

MODEL:

BATTERY:

MATERIAL:

COLOR:

DIMENSIONS:





PRODUCT SPECIFICATION

BCI GROUP	ТҮРЕ	CAPACITY ^A Minutes		CAPACITY ^B Amp-Hours (AH)		TERMINAL Type	DIMENSIONS ^c Inches (mm)			WEIGHT lbs. (kg)
SIZE		@25 Amps	@75 Amps	5-Hr Rate	20-Hr Rate		Length	Width	Height ^D	
6 VOLT DEEP CYCLE BATTERY - with T2 TECHNOLOGY™										
901	J250P*	540	135	215	250	6	11-11/16 (297)	7 (178)	11-1/2 (292)	72 (33)

A. The number of minutes a battery can deliver when discharged at a constant rate at 80°F (27°C) and maintain a voltage above 1.75 V/cell. Capacities are based on nominal performance.

B. The amount of amp-hours (AH) a battery can deliver when discharged at a constant rate at 80°F (27°C) for the 20-Hour and 100-Hour rates and 86°F (30°C) for the 5-Hour rate and maintain a voltage above 1.75 V/cell. Capacities are based on nominal performance.

Dimensions are based on nominal size. Dimensions may vary depending on type of handle or terminal.
Dimensions taken from bottom of the battery to the highest point on the battery. Heights may vary depending on type of terminal.

Trojan's battery testing procedures adhere to both BCI and IEC test standards.

CHARGING INSTRUCTIONS

CHARGER VOLTAGE SETTINGS (AT 77°F/25°C)

System Voltage	6V	12V	24V	36V	48V
Daily Charge	7.40	14.8	29.6	44.4	59.2
Float	6.60	13.2	26.4	39.6	52.8
Equalize	7.75	15.5	31.0	46.5	62.0

Do not install or charge batteries in a sealed or non-ventilated compartment. Constant under or overcharging will damage the battery and shorten its life as with any battery.

CHARGING TEMPERATURE COMPENSATION

.028 VPC for every 10°F (5.55°C) above or below 77°F (25°C) (add .028 VPC for every 10°F (5.55°C) below 77°F and subtract .028 VPC for every 10°C above 77°F).

OPERATIONAL DATA

Operating Temperature	Self Discharge
-4°F to 113°F (-20°C to +45°C). At temperatures below 32 °F (0°C) maintain a state of charge greater than 60%.	5 – 15% per month depending on storage temperature conditions.


TERMINAL CONFIGURATIONS




* Polyon™ Case



BATTERY DIMENSIONS (shown with UT)





PERCENT CAPACITY VS. TEMPERATURE

TROJAN J250P PERFORMANCE

1000 140 120 100 **Estimation Purposes Only** Discharge Current (amps) 80 100 Temperature (F) 60 40 20 10 0 -20 -40 0% 20% 40% 60% 80% 1 Percent of Available Capacity 10 100 1000 10000 100000 Time (min)



Trojan batteries are available worldwide through Trojan's Master Distributor Network. We offer outstanding technical support, provided by full-time application engineers.

For a Trojan Master Distributor near you, call 800.423.6569 or + 1.562.236.3000 or visit www.trojanbattery.com 12380 Clark Street, Santa Fe Springs, CA 90670 • USA

TRJN_J250P • DS0111

© 2010 Trojan Battery Company. All rights reserved. Trojan Battery Company is not liable for damages that may result from any information provided in or omitted from this publication, under any circumstances. Trojan Battery Company reserves the right to make adjustments to this publication at any time, without notices or obligation.

60 50

40

30

20

10

0

-10

-20

-30

-40

120%

100%

Q

Temperature